



# Introduction to programming using Python

## Session 4

Matthieu Choplin

[matthieu.choplin@city.ac.uk](mailto:matthieu.choplin@city.ac.uk)

<http://moodle.city.ac.uk/>



# Objectives

- To come back on the notion of object and type.
- To introduce to the type "List" and its methods.
- To use the len, min/max, sum, and random.shuffle functions for a list.
- To develop and invoke functions with list arguments and return value.
- To access list elements using indexed variables.
- To obtain a sublist using the slicing operator [start:end].
- To use +, \*, and in/not in operators on lists.
- To traverse elements in a list using a for-each loop.
- To create lists using list comprehension.
- To split a string to a list using the str's split method.
- To copy contents from one list to another.



# What is the difference between an object and a type?

A **type** or a **class** is what is going to create an object

Type and object seen so far:

<b>Types</b>	<b>Objects</b>	<b>Constructor</b>
Integer	1, 3, 4, 5, 999, -3, -4	int()
Float	1.333, -0.5, 0.001	float()
String	"Foo", 'bar', ""	str()

# An object has methods

You can find the method of an object with the function **dir()**, which returns the attributes of an object.

```
>>> dir("abc")  
['__add__', '__class__', '__contains__', '__delattr__', '__dir__', '__doc__', '__
```

NB: the dunder methods (with double underscore), are "special methods" in python that can be overridden. We will come back on that later.



# Difference between methods of objects and builtin functions

The methods of an object can **only be called on an object**.

```
>>> "speak louder".upper()  
'SPEAK LOUDER'
```

A **builtin function** does not need an object to be called.

```
>>> len("number of character")  
19
```

NB: **len()** give the number of element in a sequence

# The type List

## Creating list using the list constructor

```
list1 = list() # Create an empty list
list2 = list([2, 3, 4]) # Create a list with elements 2, 3, 4
list3 = list(["red", "green", "blue"]) # Create a list of strings
list4 = list(range(3, 6)) # Create a list with elements 3, 4, 5
list5 = list("abcd") # Create a list with characters a, b, c
```

## That is the equivalent of:

```
list1 = [] # Same as list()
list2 = [2, 3, 4] # Same as list([2, 3, 4])
list3 = ["red", "green"] # Same as list(["red", "green"])
```

# The List methods

You can find the different methods of a list thanks to the function **dir()**

```
>>> dir([])
['__add__', '__class__', '__contains__', '__delattr__', '__delitem__', '__dir__']
```

We are going to look at: 'append', 'clear', 'copy', 'count', 'extend', 'index', 'insert', 'pop', 'remove', 'reverse', 'sort'


# How to see what a method can do

Look at the builtin help:

```
>>> help([].append)
Help on built-in function append:

append(...) method of builtins.list instance
    L.append(object) -> None -- append object to end
```

Experiment in the interpreter:



```
1 my_list = ["foo", "bar", 124, []]
2 print(my_list)
3 my_list.append("abc")
4 print(my_list)
```



# Summary of the list methods

<b>append</b> (x: object): None	Add an item x to the end of the list.
<b>insert</b> (index: int, x: object): None	Insert an item x at a given index. Note that the first element in the list has index 0.
<b>remove</b> (x: object): None	Remove the first occurrence of the item x from the list.
<b>index</b> (x: object): int	Return the index of the item x in the list.
<b>count</b> (x: object): int	Return the number of times item x appears in the list.
<b>sort</b> (): None	Sort the items in the list.
<b>reverse</b> (): None	Reverse the items in the list.
<b>extend</b> (L: list): None	Append all the items in list L to the list.
<b>pop</b> ([i]): object	Remove the item at the given position and return it. The square bracket denotes that parameter is optional. If no index is specified, list.pop() removes and returns the last item in the list.



# Exercise 1

Write a program that reads integers from the user and stores them in a list (use `input()` and `append()`). Your program should continue reading values until the user enters 'q' (the sentinel value). Then it should display all of the values entered by the user in order from smallest to largest, with one value appearing on each line. Use either the `sort` method or the `sorted` built in function to sort the list.

 **Solution**




# Builtin function for list or sequences

```
>>> list1 = [2, 3, 4, 1, 32]
>>> len(list1)
5
>>> max(list1)
32
>>> min(list1)
1
>>> sum(list1)
42
>>> import random
>>> random.shuffle(list1) # Shuffle the items in the list
>>> list1
[4, 1, 2, 32, 3]
```

# Iterating on a list


The list is a **sequence** on which you can iterate.

With **for**:



```
1 for element in ["foo", 11, "bar"]:  
2     print(element)
```

With **while**:



```
1 my_list = ["foo", 11, "bar"]  
2 i=0  
3 while i < len(my_list):  
4     print(my_list[i])  
5     i+=1
```



# Reminder about functions

We define the function like this:

```
def main():  
    print('The function', main.__name__, 'has been called')
```

And we call the functions like this:

```
main()
```

NB: notice the brackets: when we define and when we call!

Try to use functions in the next exercises.




## Exercise 2: Chinese Zodiac sign with list

Simplify [the exercise we saw at the end of session 2](#) by using a list of string storing all the animals name, instead of multiple if and elif statement.

👁 Solution


# Passing Lists to Functions



```
1 def printList(lst):
2     for element in lst:
3         print(element)
4
5 # Invoke the function
6 lst = [3, 1, 2, 6, 4, 2]
7 printList(lst)
```

# Returning a List from a Function

Example: a function that returns a reversed list



```
1 def reverse(lst):
2     result = []
3     for element in lst:
4         result.insert(0, element)
5     return result
6
7 list1 = [1, 2, 3, 4, 5, 6]
8 list2 = reverse(list1)
9 print(list2)
```

The function **reverse** actually exists for doing the same thing





## Exercise 3:

Complete this program to get the minimum number of the list and its index

```
import random
random_list = [random.choice(list(range(1, 100))) for _ in range(10)]
def get_min(random_list):
    # to complete
    pass
get_min(random_list)
```



# Solution without using built in functions non list methods

👁 Solution

# Solution using built in functions and list methods

👁 Solution



# Reminder

The string is a **sequence**

The items of a sequence can be **accessed** through indexes

<b>Items</b> <b>(characters)</b>	a	b	r	a	c	a	d	a	b	r	a
<b>Indexes</b>	0	1	2	3	4	5	6	7	8	9	10

Get the first element of the sequence:

```
my_string_variable = "abracadabra"  
first_elem = my_string_variable[0]
```


# Manipulate element of a List with indexes

You can also **access** element of a list with indexes **BUT** you can also **modify** them:



```
main.py
1 my_list = ["foo", 11, "bar"]
2 print(my_list)
3 my_list[1] = "eleven"
4 print(my_list)
```

contrary to the string type.



```
main.py
1 my_string = "abracadabra"
2 my_string[0] = "0"
3 print(my_string)
```



# Difference between mutable and immutable objects

- You cannot modify an **immutable** object such as a string.
- You can modify a **mutable** object such as a list.

# The +, \*, [:], and in Operators (1/2)

+ is for concatenating list

\* is for repeating a list

[:] is the slice operator, for extracting a sublist from a list

```
>>> list1 = [2, 3]
>>> list2 = [1, 9]
>>> list3 = list1 + list2
>>> list3
[2, 3, 1, 9]
>>> list3 = 2 * list1
>>> list3
[2, 3, 2, 3]
>>> list4 = list3[2:4]
>>> list4
[2, 3]
```

## The +, \*, [:], and in Operators (2/2)

- Get the last element of a list with a negative index
- Check if an element is in a list with the **in** operator

```
>>> list1 = [2, 3, 5, 2, 33, 21]
>>> list1[-1]
21
>>> list1[-3]
2
>>> list1 = [2, 3, 5, 2, 33, 21]
>>> 2 in list1
True
>>> list1 = [2, 3, 5, 2, 33, 21]
>>> 2.5 in list1
False
```





# List comprehensions

- List comprehensions provide a concise way to create lists
  - Transforming a list with operation on each element
  - Filtering a list, keeping only elements that satisfy a condition

```
>>> list1 = [x for x in range(0, 5)]
>>> list1
[0, 1, 2, 3, 4]
>>> list2 = [0.5 * x for x in list1]
>>> list2
[0.0, 0.5, 1.0, 1.5, 2.0]
>>> list3 = [x for x in list2 if x < 1.5]
>>> list3
[0.0, 0.5, 1.0]
```

# Splitting a String to a List

You can convert a string to a list with the **split** function on string.

```
>>> items = "Welcome to the UK".split()
>>> print(items)
['Welcome', 'to', 'the', 'UK']
>>> items = "34#13#78#45".split("#")
>>> print(items)
['34', '13', '78', '45']
```

You can convert back a list to a string with the **join** function on string

```
>>> print(items)
['Welcome', 'to', 'the', 'UK']
>>> print(" ".join(items))
'Welcome to the UK'
```



## Exercise 4 - Eliminate duplicates

Write a function that returns a new list by eliminating the duplicate values in the list. Use the following function header:

```
def eliminateDuplicates(lst):
```

Write a test program that reads in a list of integers, invokes the function, and displays the result. Here is the sample run of the program:

```
Enter ten numbers: 1 2 3 2 1 6 3 4 5 2  
The distinct numbers are: 1 2 3 6 4 5
```

# Solution

👁 Solution



## Exercise 5 = Anagrams

Write a function that checks whether two words are anagrams. Two words are anagrams if they contain the same letters. For example, silent and listen are anagrams. The header of the function is:

```
def isAnagram(s1, s2):
```

(Hint: Obtain two lists for the two strings. Sort the lists and check if two lists are identical.)

Write a test program that prompts the user to enter two strings and, if they are anagrams, displays is an anagram; otherwise, it displays is not an anagram.

# Solution

👁 Solution



# Copying Lists

Often, in a program, you need to duplicate a list or a part of a list. In such cases you could attempt to use the assignment statement (=):

```
list1 = [1, 2, 3]  
list2=list1
```

**But you are not copying the list here! You are copying its reference.**

# What is happening in memory

Python 3.3

```
1 list1 = [1, 2, 3]
2 list2 = list1
3 list2.append('four')
4 print(list1)
→ 5 print(list2)
```

→ line that has just executed  
→ next line to execute

< Back Program terminated Forward >

Print output (drag lower right corner to resize)

```
[1, 2, 3, 'four']
[1, 2, 3, 'four']
```

Frames      Objects

Global frame

list1	→	0	1	2	3
list2	→	1	2	3	"four"

Visualized using [Online Python Tutor](#) by [Philip Guo](#)





# Copying a list the correct way

```
>>> list2 = [x for x in list1]
>>> list2 = list1[:]
>>> list2 = list(list1)
>>> list2 = list(list1)
>>> import copy
>>> list2 = copy.copy(list1)
>>> list2 = copy.deepcopy(list1) # will copy the object as well
```

# What is happening in memory for a real copy

Python 3.3

```
1 list1 = [1, 2, 3]
2 list2 = list1[:]
3 list1.append('four')
4 print(list1)
→ 5 print(list2)
```

→ line that has just executed  
→ next line to execute

< Back Program terminated Forward >

Print output (drag lower right corner to resize)

```
[1, 2, 3, 'four']
[1, 2, 3]
```

Frames      Objects

Global frame

list1	0	1	2	3
	1	2	3	"four"

list

0	1	2
1	2	3

list

0	1	2
1	2	3

Visualized using [Online Python Tutor](#) by [Philip Guo](#)



# Pass By Value

There are important differences between passing immutable or mutable objects as arguments to a function.

String and numeric values (integer and float) are **immutable**, they do not get changed

Lists are **mutable**, they can be changed

# Example

Python 3.3

```
1 def m(number, list_of_numbers):
2     number = 1001
3     list_of_numbers[0] = 5555
4
5 def main():
6     x = 1
7     y = [1, 2, 3]
8     m(x, y)
9     print("x is ", str(x))
10    print("y[0] is", str(y[0]))
11
12 main()
```


→ line that has just executed  
→ next line to execute

< Back Program terminated Forward >

Visualized using [Online Python Tutor](#) by Philip Guo

Print output (drag lower right corner to resize)

```
x is 1
y[0] is 5555
```





# Exercise 6: Hangman

Write a hangman game that randomly generates a word and prompts the user to guess one letter at a time, as shown in the sample run.

Each letter in the word is displayed as an asterisk. When the user makes a correct guess, the actual letter is then displayed. When the user finishes a word, display the number of misses and ask the user whether to continue playing. Create a list to store the words, as follows:

```
words = ["write", "that", "program", ...]
```

```
(Guess) Enter a letter in word ***** > p
(Guess) Enter a letter in word p***** > r
(Guess) Enter a letter in word pr**r** > p
    p is already in the word
(Guess) Enter a letter in word pr**r** > o
(Guess) Enter a letter in word pro*r** > g
(Guess) Enter a letter in word progr** > n
    n is not in the word
(Guess) Enter a letter in word progr** > m
(Guess) Enter a letter in word progr*m > a
The word is program. You missed 1 time
Do you want to guess another word? Enter y or n>
```

 Solution